

Specification

Residence tent



- Tent Type : Residence tent (3 Layer)
1st layer (650 to 750 gm / m2)
2nd layer (160 gm / m2)
3rd layer (160 gm / m2)
- Dimensions : 4 x 6 m
- Color Options : Desert Sand
- Material : 100% Pure Cotton (NOT recycled waste material) Canvas waterproof
- Poles : Galvanized Iron standing and Wall Poles
- Mud flap : PE or PVC Laminated Fabric.
- Windows : 4 Windows with mosquito net and same fabric flap from outside.
- Accessories : Iron Poles, Iron Pegs, Iron Hammer, Ropes with rendus.
- Groundsheet : PVC Groundsheet 600 GSM
- Packing : One complete tent with all accessories in one rolled bale.

The packed tents will be supplied under following conditions:

- a) The dome of the tent and corridors will be packed inside a cover made of cotton on the inside with external outside layer made of sackcloth.
- b) Pegs and the hammer will be packed and supplied inside a casing (cover) made of tent fabrics and stored with the dome packages.
- c) Illustrative drawings and pictures will be provided for the contents as well as description and detailed list for contents in Arabic language. It will also be provided with manual for the installation of the tent on printed document laminated inside a transparent and thick plastic cover.
- d) Each tent will be provided with 2 hammers; one molded piece made of iron having weight not less than 2kg. Hammers will be galvanized and rust-proof.
- e) Each tent will be provided with repair kit placed inside a sewed bag and located at the walls of the tent from the inside. The repair kit consists of set of sewing needles; one is straight and the other is curved, in addition to two additional ropes for fixing the tent to the ground.

Specification

Command tent



- Tent Type : Command tent (3 Layer)
1st layer (650 to 750 gm / m2)
2nd layer (160 gm / m2)
3rd layer (160 gm / m2)
- Dimensions : 4 x 6 m
- Color Options : Desert Sand
- Material : 100% Pure Cotton (NOT recycled waste material) Canvas waterproof
- Poles : Galvanized Iron standing and Wall Poles
- Mud flap : PE or PVC Laminated Fabric.
- Windows : 4 Windows with mosquito net and same fabric flap from outside.
- Accessories : Iron Poles, Iron Pegs, Iron Hammer, Ropes with rendus.
- Groundsheet : PVC Groundsheet 600 GSM
- Packing : One complete tent with all accessories in one rolled bale.

The packed tents will be supplied under following conditions:

- a) The dome of the tent and corridors will be packed inside a cover made of cotton on the inside with external outside layer made of sackcloth.
- b) Pegs and the hammer will be packed and supplied inside a casing (cover) made of tent fabrics and stored with the dome packages.
- c) Illustrative drawings and pictures will be provided for the contents as well as description and detailed list for contents in Arabic language. It will also be provided with manual for the installation of the tent on printed document laminated inside a transparent and thick plastic cover.
- d) Each tent will be provided with 2 hammers; one molded piece made of iron having weight not less than 2kg. Hammers will be galvanized and rust-proof.
- e) Each tent will be provided with repair kit placed inside a sewed bag and located at the walls of the tent from the inside. The repair kit consists of set of sewing needles; one is straight and the other is curved, in addition to two additional ropes for fixing the tent to the ground.

Specification

Fireproof kitchen tent



- Tent Type : Fireproof kitchen tent (3 Layer)
1st layer (650 to 750 gm / m²)
2nd layer (160 gm / m²)
3rd layer (160 gm / m²)
- Dimensions : 4 x 6 m
- Color Options : Desert Sand
- Material : 100% Pure Cotton (NOT recycled waste material) Canvas waterproof
- Poles : Galvanized Iron standing and Wall Poles
- Mud flap : PE or PVC Laminated Fabric.
- Windows : 4 Windows with mosquito net and same fabric flap from outside.
- Accessories : Iron Poles, Iron Pegs, Iron Hammer, Ropes with rendus.
- Groundsheet : PVC Groundsheet 600 GSM
- Packing : One complete tent with all accessories in one rolled bale.

The packed tents will be supplied under following conditions:

- a) The dome of the tent and corridors will be packed inside a cover made of cotton on the inside with external outside layer made of sackcloth.
- b) Pegs and the hammer will be packed and supplied inside a casing (cover) made of tent fabrics and stored with the dome packages.
- c) Illustrative drawings and pictures will be provided for the contents as well as description and detailed list for contents in Arabic language. It will also be provided with manual for the installation of the tent on printed document laminated inside a transparent and thick plastic cover.
- d) Each tent will be provided with 2 hammers; one molded piece made of iron having weight not less than 2kg. Hammers will be galvanized and rust-proof.
- e) Each tent will be provided with repair kit placed inside a sewed bag and located at the walls of the tent from the inside. The repair kit consists of set of sewing needles; one is straight and the other is curved, in addition to two additional ropes for fixing the tent to the ground.

Specification

Multipurpose tent



- Tent Type : Multipurpose tent (3 Layer)
1st layer (650 to 750 gm / m2)
2nd layer (160 gm / m2)
3rd layer (160 gm / m2)
- Dimensions : 9 x 6 m
- Color Options : Desert Sand
- Material : 100% Pure Cotton (NOT recycled waste material) Canvas waterproof
- Poles : Galvanized Iron standing and Wall Poles
- Mud flap : PE or PVC Laminated Fabric.
- Windows : 4 Windows with mosquito net and same fabric flap from outside.
- Accessories : Iron Poles, Iron Pegs, Iron Hammer, Ropes with rendus.
- Groundsheet : PVC Groundsheet 600 GSM
- Packing : One complete tent with all accessories in one rolled bale.

The packed tents will be supplied under following conditions:

- a) The dome of the tent and corridors will be packed inside a cover made of cotton on the inside with external outside layer made of sackcloth.
- b) Pegs and the hammer will be packed and supplied inside a casing (cover) made of tent fabrics and stored with the dome packages.
- c) Illustrative drawings and pictures will be provided for the contents as well as description and detailed list for contents in Arabic language. It will also be provided with manual for the installation of the tent on printed document laminated inside a transparent and thick plastic cover.
- d) Each tent will be provided with 2 hammers; one molded piece made of iron having weight not less than 2kg. Hammers will be galvanized and rust-proof.
- e) Each tent will be provided with repair kit placed inside a sewed bag and located at the walls of the tent from the inside. The repair kit consists of set of sewing needles; one is straight and the other is curved, in addition to two additional ropes for fixing the tent to the ground.

Specification

Multipurpose tent



- Tent Type : Multipurpose tent (3 Layer)
1st layer (650 to 750 gm / m²)
2nd layer (160 gm / m²)
3rd layer (160 gm / m²)
- Dimensions : 12 x 6 m
- Color Options : Desert Sand
- Material : 100% Pure Cotton (NOT recycled waste material) Canvas waterproof
- Poles : Galvanized Iron standing and Wall Poles
- Mud flap : PE or PVC Laminated Fabric.
- Windows : 4 Windows with mosquito net and same fabric flap from outside.
- Accessories : Iron Poles, Iron Pegs, Iron Hammer, Ropes with rendus.
- Groundsheet : PVC Groundsheet 600 GSM
- Packing : One complete tent with all accessories in one rolled bale.

The packed tents will be supplied under following conditions:

- a) The dome of the tent and corridors will be packed inside a cover made of cotton on the inside with external outside layer made of sackcloth.
- b) Pegs and the hammer will be packed and supplied inside a casing (cover) made of tent fabrics and stored with the dome packages.
- c) Illustrative drawings and pictures will be provided for the contents as well as description and detailed list for contents in Arabic language. It will also be provided with manual for the installation of the tent on printed document laminated inside a transparent and thick plastic cover.
- d) Each tent will be provided with 2 hammers; one molded piece made of iron having weight not less than 2kg. Hammers will be galvanized and rust-proof.
- e) Each tent will be provided with repair kit placed inside a sewed bag and located at the walls of the tent from the inside. The repair kit consists of set of sewing needles; one is straight and the other is curved, in addition to two additional ropes for fixing the tent to the ground.